


## Ausgleichsscheiben gehärtet

Shim heat treated



Innen Ø in mm <i>inside diameter (mm)</i>	Außen Ø in mm <i>outside diameter (mm)</i>	Stärke in mm <i>thickness (mm)</i>
41	100	1,0
41	100	2,0
41	100	3,0
46	100	1,0
46	100	2,0
46	100	3,0
51	100	1,0
51	100	2,0
51	100	3,0
56	100	1,0
56	100	2,0
56	100	3,0
56	100	5,0
61	120	1,0
61	120	2,0
61	120	3,0
65	110	1,0
65	110	2,0
65	110	3,0
65	110	4,0
65	110	5,0
65	133	1,5
65	133	3,0
71	140	1,0
71	140	2,0
71	140	3,0
71	140	5,0
81	160	1,0
81	160	2,0
81	160	3,0
81	160	4,0
81	160	5,0
91	170	1,0
91	170	2,0
91	170	3,0
91	170	4,0
91	170	5,0

Innen Ø in mm <i>inside diameter (mm)</i>	Außen Ø in mm <i>outside diameter (mm)</i>	Stärke in mm <i>thickness (mm)</i>
101	190	1,0
101	190	2,0
101	190	3,0
101	190	5,0
111	180	1,0
111	180	2,0
111	180	3,0
111	180	4,0
111	180	5,0
121	190	1,0
121	190	2,0
121	190	3,0
121	190	4,0
121	190	5,0
131	210	1,0
131	210	2,0
131	210	3,0
131	210	5,0